

Titre du Webinaire : Interprétation des résultats de surveillance biologique

Conférencier : Claude Viau, Université de Montréal ; claude.viau@umontreal.ca

Date de la présentation : 16 juillet 2008

Références les plus intéressantes
Angerer, J., Ewers, U., & Wilhelm, M. (2007). Human biomonitoring: State of the art. <i>International Journal of Hygiene and Environmental Health</i> , 210(3-4), 201-228.
Barr, D. B., & Angerer, J. (2006). Potential uses of biomonitoring data: A case study using the organophosphorus pesticides chlorpyrifos and malathion. <i>Environmental Health Perspectives</i> , 114(11), 1763-1769.
Bates, M. N., Hamilton, J. W., LaKind, J. S., Langenberg, P., O'Malley, M., & Snodgrass, W. (2005). Workgroup report: Biomonitoring study design, interpretation, and communication--lessons learned and path forward. <i>Environmental Health Perspectives</i> , 113(11), 1615-1621.
Calafat, A. M., Ye, X., Silva, M. J., Kuklenyik, Z., & Needham, L. L. (2006). Human exposure assessment to environmental chemicals using biomonitoring. <i>International Journal of Andrology</i> , 29(1), 166-71; discussion 181-5.
Committee on Human Biomonitoring for Environmental Toxicants; National Research Council, (2006), Human Biomonitoring for Environmental Chemicals, The National Academies Press
Doerrer, N. G. (2007). Integration of human biomonitoring exposure data into risk assessment: HESI initiatives and perspectives. <i>International Journal of Hygiene and Environmental Health</i> , 210(3-4), 247-251.
Hays, S. M., Becker, R. A., Leung, H. W., Aylward, L. L., & Pyatt, D. W. (2007). Biomonitoring equivalents: A screening approach for interpreting biomonitoring results from a public health risk perspective. <i>Regulatory Toxicology and Pharmacology : RTP</i> , 47(1), 96-109.
LaKind, J. S., Barraj, L., Tran, N., & Aylward, L. L. (2008). Environmental chemicals in people: Challenges in interpreting biomonitoring information. <i>Journal of Environmental Health</i> , 70(9), 61-64.
Metcalf, S. W., & Orloff, K. G. (2004). Biomarkers of exposure in community settings. <i>Journal of Toxicology and Environmental Health. Part A</i> , 67(8-10), 715-726.

Références les plus intéressantes
Needham, L. L., Calafat, A. M., & Barr, D. B. (2008). Assessing developmental toxicant exposures via biomonitoring. <i>Basic & Clinical Pharmacology & Toxicology</i> , 102(2), 100-108.
Paustenbach, D., & Galbraith, D. (2006). Biomonitoring and biomarkers: Exposure assessment will never be the same. <i>Environmental Health Perspectives</i> , 114(8), 1143-1149.
Paustenbach, D., & Galbraith, D. (2006). Biomonitoring: Is body burden relevant to public health? <i>Regulatory Toxicology and Pharmacology</i> : RTP, 44(3), 249-261.
Pietrocatelli, S., Viau C., (2007), Biomonitoring of environmental chemicals in young children aged from 0 to 5 years, Chair of Toxicological Risk Analysis and Management, University of Montreal
Ritter, L., & Arbuckle, T. E. (2007). Can exposure characterization explain concurrence or discordance between toxicology and epidemiology? <i>Toxicological Sciences : An Official Journal of the Society of Toxicology</i> , 97(2), 241-252.
Tchepel, O., Penedo, A., & Gomes, M. (2007). Assessment of population exposure to air pollution by benzene. <i>International Journal of Hygiene and Environmental Health</i> , 210(3-4), 407-410.
Viau C., Berthert A., Couture C., Manno M., (2007), Current State of Science of Human Biomonitoring, and its Use in Human Health Risk Assessment, Chair of Toxicological Risk Analysis and Management, University of Montreal

Références complémentaires
Al Zabadi, H., Ferrari, L., Laurent, A. M., Tiberguent, A., Paris, C., & Zmirou-Navier, D. (2008). Biomonitoring of complex occupational exposures to carcinogens: The case of sewage workers in Paris. <i>BMC Cancer</i> , 8, 67.
Angradi, T. R., Bolgrien, D. W., Jicha, T. M., Pearson, M. S., Hill, B. H., Taylor, D. L., et al. (2008). A bioassessment approach for mid-continent great rivers: The upper mississippi, missouri, and ohio (USA). <i>Environmental Monitoring and Assessment</i> ,
Ashley, K., Biagini, R. E., Smith, J. P., Sammons, D. L., Mackenzie, B. A., Striley, C. A., et al. (2008). The use of immunochemical and biosensor methods for occupational and environmental monitoring. part I: Introduction to immunoassays. <i>Journal of Occupational and Environmental Hygiene</i> , 5(2), D25-32.

Références complémentaires
Barr, D. B., Thomas, K., Curwin, B., Landsittel, D., Raymer, J., Lu, C., et al. (2006). Biomonitoring of exposure in farmworker studies. <i>Environmental Health Perspectives</i> , 114(6), 936-942.
Budinger, T. F. (2003). Biomonitoring with wireless communications. <i>Annual Review of Biomedical Engineering</i> , 5, 383-412.
Choi, H., Rauh, V., Garfinkel, R., Tu, Y., & Perera, F. P. (2008). Prenatal exposure to airborne polycyclic aromatic hydrocarbons and risk of intrauterine growth restriction. <i>Environmental Health Perspectives</i> , 116(5), 658-665.
Collins, A. R. (2004). The comet assay for DNA damage and repair: Principles, applications, and limitations. <i>Molecular Biotechnology</i> , 26(3), 249-261.
Faust, F., Kassie, F., Knasmuller, S., Boedecker, R. H., Mann, M., & Mersch-Sundermann, V. (2004). The use of the alkaline comet assay with lymphocytes in human biomonitoring studies. <i>Mutation Research</i> , 566(3), 209-229.
Faust, F., Kassie, F., Knasmuller, S., Kevekordes, S., & Mersch-Sundermann, V. (2004). Use of primary blood cells for the assessment of exposure to occupational genotoxins in human biomonitoring studies. <i>Toxicology</i> , 198(1-3), 341-350.
LaKind, J. S., Brent, R. L., Dourson, M. L., Kacew, S., Koren, G., Sonawane, B., et al. (2005). Human milk biomonitoring data: Interpretation and risk assessment issues. <i>Journal of Toxicology and Environmental Health. Part A</i> , 68(20), 1713-1769.
LaKind, J. S., Wilkins, A. A., & Bates, M. N. (2007). Human breast biomonitoring and environmental chemicals: Use of breast tissues and fluids in breast cancer etiologic research. <i>Journal of Exposure Science & Environmental Epidemiology</i> , 17(6), 525-540.
Liao, K. H., Tan, Y. M., & Clewell, H. J., 3rd. (2007). Development of a screening approach to interpret human biomonitoring data on volatile organic compounds: Reverse dosimetry on biomonitoring data for trichloroethylene. <i>Risk Analysis : An Official Publication of the Society for Risk Analysis</i> , 27(5), 1223-1236.
Lopez, E., Schuhmacher, M., & Domingo, J. L. (2008). Human health risks of petroleum-contaminated groundwater. <i>Environmental Science and Pollution Research International</i> , 50(3), 278-288.
Moline, J. M., Herbert, R., Levin, S., Stein, D., Luft, B. J., Udasin, I. G., et al. (2008). WTC medical monitoring and treatment program: Comprehensive health care response in aftermath of disaster. <i>The Mount Sinai Journal of Medicine, New York</i> , 75(2), 67-75.
Mutti, A., & Corradi, M. (2006). Recent developments in human biomonitoring: Non-invasive assessment of target tissue dose and effects of pneumotoxic metals. <i>La Medicina Del Lavoro</i> , 97(2), 199-206.

Références complémentaires
Myllynen, P., Pasanen, M., & Pelkonen, O. (2005). Human placenta: A human organ for developmental toxicology research and biomonitoring. <i>Placenta</i> , 26(5), 361-371.
Needham, L. L., Patterson, D. G., Jr, Barr, D. B., Grainger, J., & Calafat, A. M. (2005). Uses of speciation techniques in biomonitoring for assessing human exposure to organic environmental chemicals. <i>Analytical and Bioanalytical Chemistry</i> , 381(2), 397-404.
Scher, D. P., Sawchuk, R. J., Alexander, B. H., & Adgate, J. L. (2008). Estimating absorbed dose of pesticides in a field setting using biomonitoring data and pharmacokinetic models. <i>Journal of Toxicology and Environmental Health. Part A</i> , 71(6), 373-383.
Schikowski, T., Sugiri, D., Reimann, V., Pesch, B., Ranft, U., & Kraemer, U. (2008). Contribution of smoking and air pollution exposure in urban areas to social differences in respiratory health. <i>BMC Public Health</i> , 8(1), 179.
Schmid, O., & Speit, G. (2007). Genotoxic effects induced by formaldehyde in human blood and implications for the interpretation of biomonitoring studies. <i>Mutagenesis</i> , 22(1), 69-74.
Tchepel, O., Penedo, A., & Gomes, M. (2007). Assessment of population exposure to air pollution by benzene. <i>International Journal of Hygiene and Environmental Health</i> , 210(3-4), 407-410.
Wang, J., Timchalk, C., & Lin, Y. (2008). Carbon nanotube-based electrochemical sensor for assay of salivary cholinesterase enzyme activity: An exposure biomarker of organophosphate pesticides and nerve agents. <i>Environmental Science & Technology</i> , 42(7), 2688-2693.
Westerink, B. H., & De Vries, J. B. (2001). A method to evaluate the diffusion rate of drugs from a microdialysis probe through brain tissue. <i>Journal of Neuroscience Methods</i> , 109(1), 53-58.
Wigle, D. T., Arbuckle, T. E., Turner, M. C., Berube, A., Yang, Q., Liu, S., et al. (2008). Epidemiologic evidence of relationships between reproductive and child health outcomes and environmental chemical contaminants. <i>Journal of Toxicology and Environmental Health. Part B, Critical Reviews</i> , 11(5-6), 373-517.